


ELECTRICITY

A discharge of electricity flashes from one metal object to another. Metal has the kind of molecular structure that makes it an ideal conductor, so that it naturally attracts any unchannelled electricity.

WITH THE FLICK OF A SWITCH, a light, a stereo, a microwave oven or a computer comes instantly to life. These devices, and thousands of others that we take for granted in the modern world, work off electricity. But what is electricity and where does it come from?

An electrical current is a flow of tiny particles called electrons. Electrons are one of the basic building blocks of atoms, and are negatively charged: this means that they repel each other. Normally, the electrons swarm in clouds around the atom's nucleus, or centre, made up of a cluster of positively charged protons and neutrons. In some atoms, however,

Phil Jude/Science Photo Library



Circuit breakers, like these ones at an electricity substation at Oregon City, USA, are a safety device. If lightning strikes an overhead cable, the circuit breakers switch off power to the rest of the cable to protect it.

some of the electrons are 'free' and orbit outside the atom. These free-electrons can travel in streams from one place to another, creating a current of electricity.


Substances such as metals, which contain many free or loosely held electrons, are known as conductors, since they allow electricity to pass through them very easily. Silver is one of the best conductors, but because it is so expensive it is

The control room of a national grid system is the nerve centre of a country's electricity supply. Here, supply can be monitored, and then redirected to where it is most needed. A network of cables supported by pylons (right) distributes the supply.



Berenguer/Jerrican

National Grid Co



sible circuits – a battery provides a supply of electrons, which flow through a wire to a bulb and then back again to the battery. Although the wire is a good conductor, some electrons do collide with the atoms in the wire, which slows them down. This slowing down effect is known as resistance.

Glowing filament

Inside the light bulb, a very thin wire or filament offers much more resistance to the electrons as they squeeze through it. But so many collisions occur in the filament that it quickly becomes hot and begins to glow.

A battery supplies one-way, or direct current (DC). But mains electricity is constantly changing direction and is

used only for the most crucial connections in devices such as computers. The best low-cost conductor, used for virtually all wiring, is copper.



Most other materials, including plastics, ceramics, rubber, wood and paper, have very few free electrons and so prevent electricity from flowing through them. They are called insulators. Household wiring, for

The filament in a light bulb is made of very fine wire. Electrons keep bumping into the atoms in the wire, making them vibrate and glow white with heat.



Ray Ellis/Science Photo Library

Making Alternating Current



Mark Franklin

instance, consists of a bundle of current-carrying copper wire, surrounded by an insulating layer of plastic to prevent the current from escaping. Devices that produce high temperatures, such as electric oven rings and car engines, need better insulation, so ceramic insulators are used instead of plastics.


The path an electric current takes as it flows is called a circuit. In a torch, for example – one of the simplest pos-

Electricity can be generated by rotating a coil in a magnetic field. This produces a current that varies (top) according to the position of the coil.

known as alternating current (AC). The frequency of change varies from one country to another but is in the range 50 to 60 times per second.

Mains electricity is made in power stations. It is then sent through a

How a Turbine Generator Works



network of cables known as a national grid to all parts of the country.

In the power station, heat from burning coal or oil, or from a nuclear reactor, is used to convert water into steam for turning the blades of a huge turbine. A shaft from the turbine is

HIGH-SPEED POWER

The flow of electricity through a wire can be likened to the movement of water down a pipe. The rate at which water passes through the pipe depends on the pipe's width and on the difference in water pressure between the two ends of the pipe.

In the same way, the amount of current flowing through a circuit depends on the resistance of the circuit – which is measured in ohms – and the voltage – which is measured in volts. A 9-volt battery, for example, will produce six times more current through a given circuit than a 1.5-volt battery.

Current is measured in amperes, or amps. One ampere represents a flow of about 6.3 million trillion individual electrons per second.

connected to a generator in which magnets are made to spin rapidly inside a large copper coil. The rotation of the magnets produces a huge amount of current in the coil.

The force with which electrical current is driven through cables is measured in volts. The higher the voltage, the less electricity is 'lost' through

Steam forcing its way past the angled turbine blades turns the shaft. This turns an electromagnet inside a coil, which makes electricity in the same way as turning a coil in a magnetic field. The steam comes from burning coal or oil or (right) a nuclear reactor.



resistance and heating of the cable. So, before electricity leaves the power station, the voltage is stepped up from between 10,000 and 30,000 volts to between 100,000 and 400,000 volts.

This is easily done with the help of a transformer consisting of two coils of wire wrapped around opposite sides of an iron core. If the number of turns in the outgoing, or secondary, coil is greater than the number of turns in the incoming, or primary, coil then the voltage will be increased. If the situation is reversed, the voltage is similarly decreased.

Step-down

Upon reaching the outskirts of a town or city, the power lines enter a substation where the voltage is decreased by a step-down transformer until it is again between 10,000 and 30,000 volts. This reduces the danger if

power lines come down in heavily-populated areas.

Before electricity is allowed to enter people's homes, the voltage is once more reduced by a transformer in a smaller substation. The final domestic supply ranges between 110 volts in the United States to 230 volts in Britain. Large factories often have their own transformers because they need a higher voltage supply.

Switching power

By linking power stations and transmission lines together through a national grid, power can be switched from one area of a country to another as demand changes. But even this is sometimes not enough. When, in 1990, the estimated 30 million British television viewers of the England–West Germany World Cup semi-final turned on their electric kettles at half-time, the extra power drain was

Alex Bartel/SPL


Superconductivity is the wave of the future. Conductors at temperatures nearing -273°C – absolute zero – have almost no resistance to electricity. This means that a magnet can be held suspended in a loop of super-cold wire.

wastes energy. But if a substance is cooled down to a very low temperature, it loses its electrical resistance altogether. It is then said to be 'superconducting'. With no resistance to slow it down, a current could theoretically flow around a superconducting circuit forever.

Warm superconductors

Until recently, the highest temperature at which a substance was known to superconduct was -250°C ; the conductor was a metallic niobium-germanium alloy. But in 1986, there was a major breakthrough. Scientists discovered a number of complex materials containing metallic substances such as thallium, lanthanum and yttrium that would superconduct at around -126°C , a temperature warm

Chemical Design Ltd/SPL



A new generation of superconducting materials were discovered in 1987. This is a computer model of the molecular structure of one of them – yttrium-barium-copper oxide.

so great that it affected the picture quality on many television sets!

All domestic electricity supplies are carried from the nearest substation by at least two wires, usually underground. These wires enter a fusebox where a number of fuses protect the circuits and appliances inside the house. A fuse is simply a wire that overheats and melts if too much electricity passes through it.

'Ring' main

Several circuits branch out from the fusebox. One type powers the ceiling and wall lights. Another is the main 'ring' circuit that runs around the house, between the walls and under the floorboards. Each circuit consists of a live wire and a neutral wire – which are both connected to the sub-

station – and an earth wire that conducts current harmlessly to the ground if an appliance fails.


The amount of current entering the house is measured by a meter. This contains a small motor, connected to a counter, that runs faster as more electricity is consumed. The meter clocks up the amount of electricity used and the reading is then used to determine the amount of a household's electricity bill.

Even the best conductor offers some resistance to a current and so

enough to be produced in a school laboratory.

These new materials offer the hope of practical applications for superconductors in the future. One such use might be in a national grid. Made from superconducting materials, power lines would not lose any energy during transmission. Another use of the new superconductors might be in building an extremely fast computer.

National Power




Power stations transmit electricity at very high voltages, which is stepped down later for safe domestic use. High voltages cut transmission losses, but huge ceramic insulators have to be used to prevent shorting.

Just amazing!

SHOCKING CURE

A SERIES OF RAPID, 25,000-VOLT SHOCKS, IT HAS BEEN FOUND, IS AN EXCELLENT CURE FOR THE BITE OF DEADLY SNAKES SUCH AS THE SOUTH AMERICAN BUSHMASTER.



Paul Raymond



HI-TECH MINES



POWER STATIONS



POLLUTION

KING COAL

Spectrum Colour Library

COAL SUPPLIES A HUGE SLICE of our energy needs, despite its reputation for being a dirty fuel and dangerous to extract. But the image of coal is changing. New technology is revolutionizing mines, while coal-burning is becoming cleaner and more efficient.

Most of the world's coal supplies started to form during the Carboniferous Period, from 360 to 280 million years ago. Decomposed plant matter in a moist environment, such as a swamp, broke down into peat. Buried underground, squeezed and heated, the peat gradually turned into coal, first into lignite, or brown coal, then (as the pressure and heat from above increased) into common bituminous coal, and finally into shiny black anthracite. A layer of peat around 5 metres thick will compress into a seam of coal some 30 cm deep.

As coal seams formed, the pressure forced out oxygen and hydrogen from the plant remains, leaving mainly carbon. Wood contains 50 per cent carbon, while lignite has 70 per cent

and anthracite 94 per cent. It is the carbon that burns, helped by pockets of trapped oxygen and hydrogen gas.

Coal is mined by two distinct methods: surface mining and underground operations. In surface mining – also known as opencast or strip mining – the layers above the coal seams (the

overburden) are stripped away. The overburden can be more than 100 metres deep. The biggest surface mines produce just under 50,000 tonnes of coal a day.

The majority of the world's coal, however, is brought up from underground, from seams as deep as 1,200


An opencast mine in Germany.

The sides of a surface mine are cut away to form a series of steps called benches. So the deeper the hole, the wider the area it must cover. Much coal, however, is mined underground. This coal face (right), in a mine in Kentucky, USA, is sliced with vertical strokes by a series of cutting edges mounted on a drum.

Costain Group




World Consumption of Energy



Mark Franklin

Coal, oil, gas and uranium will all eventually become uneconomic to mine. The top two renewable sources are heat from burning organic matter (biomass) and hydroelectricity.



Energie-Versorgung Schwaben AG

metres below the surface. Geological surveys provide data on which are the most promising seams and how they are laid out. In the most up-to-date mines, cutting machines are steered from a computer console in an underground operations room.

As the excavation proceeds, electronic guiders on the cutter transmit

signals back to the console giving the machine's exact position. Sensors around the mine also warn the control-room of that most feared danger – a potentially explosive build-up of methane gas. Other sensors monitor the quality of coal being extracted and tell if equipment needs replacing.

Electricity

The great majority of coal that comes out of the ground is consumed in power stations for making electricity. About 50 per cent of the UK's electrical energy, for example, is supplied by burning coal.

At a power plant, the coal is first pulverized into fine pieces so that it will burn more efficiently. The burning itself takes place in a huge, box-shaped boiler. The inner walls of the boiler contain tubes in which water is converted into steam. The steam passes through a superheater, where its temperature and pressure are in-

Heilbronn power station, run by operators manning computers in a central control room (below), is one of most modern coal-fired power stations in Germany, and one of the largest in the world to have a complete flue-gas cleaning programme.



Energie-Versorgung Schwaben AG

creased, before it drives a high-pressure turbine. A shaft from the turbine turns a generator that produces electrical current. A typical boiler consumes 500 tonnes of finely ground coal an hour – enough to generate a million kilowatt-hours of electricity.

Reducing pollution

Burning coal creates a number of problems, however. It contributes to the global 'greenhouse effect' by producing large amounts of carbon dioxide. It also gives off a number of poisonous substances, the worst of which is sulphur dioxide. When sulphur dioxide mixes with water droplets in the air, acid rain forms. This

BURIED IN PEAT



Trustees of the British Museum

As vegetable matter is compressed beneath the living surface of a bog it gradually turns into thick, black peat. Dried and cut into bricks, peat was once used to insulate cottages and it is still burned as fuel in many parts of the world. It is also an amazingly good preservative of animal and human remains. In 1985, for instance, the skin-covered head and upper torso of a man (above) was dug up from a peat-bog near Wilmslow in Cheshire, UK. Analysis showed that he had been garrotted – strangled with a twisted cord – around 2,000 years ago.

has killed millions of trees across Europe and North America.

To reduce their environmental impact, coal-fired power stations are being equipped with a variety of pollution-control systems. The most important of these is a flue-gas-desul-

Gypsum is a by-product of the coal burning process at Heilbronn, produced when limestone slurry combines with the sulphur in waste gas. Pressed into briquettes, it is sold as a building material.



phurization system called a scrubber. An alkaline substance, usually lime or limestone, is mixed with water and sprayed on to waste gas coming up the flue. The sulphur dioxide combines with this slurry to form calcium sulphate, or gypsum. In another process, in which crushed coal and limestone are suspended in a blast of air while they are burning, the limestone captures 90 per cent of the polluting gases given off.

Energie-Versorgung Schwaben AG

Just amazing!

THAT COAL BLACK MAGIC ...

AMONG SOME OF THE MORE SURPRISING PRODUCTS MADE USING COAL ARE NYLON, SACCHARINE SWEETENER, MOTHBALLS, WEEDKILLER AND ANTISEPTICS.



Paul Raymond

HIDDEN RICHES

SOME OF THE DESERT areas of the world contain very rich mineral deposits. And in the Middle East, in particular, there are huge underground reservoirs of oil – a vital commodity for the economy of the world.

Four methods are used in finding sites to test drill for oil: surface feature mapping; seismographic observations; Earth gravity surveys and satellite sensing. The most obvious way is to look for signs on the surface such as tar sands or oil films on water in streams. A salt dome – bulging slightly in otherwise flat ground – is a good place to look as it is also a sign of an oil trap.

Satellite surveys

Remote sensing from satellites can speed up mapping and exploration. They show features that are invisible to the geologist in the field and cover vast areas. An important satellite for surveying is the Landsat Thematic Mapper. This takes pictures at wavelengths that are not normally visible. From these it is possible to tell apart common rock types and also detect potentially valuable formations. It shows up geological features, such as folds or faults. These features can ease the passage of fluids that concentrate metals and hydrocarbons.

Tony Stone Photo Library, London



Pipelines (above) transport crude oil from wells to ports for shipping, or to refineries (below), which process petroleum into different oil products.

But as most subsurface folds and faults do not show themselves on the surface, geologists have to detect them by other methods. The first of these is likely to be the gravity survey. Although the acceleration due to gravity at the Earth's surface is relatively constant, it changes fractionally where there are heavier or lighter rocks close to the surface.


Sound waves

Salt domes can be picked out because salt is lighter than many other rocks and the gravity survey – usually carried out from the air – picks up a lessening of the gravitational field. Gravity surveys can also spot fault blocks and anti-clinal folds, both likely spots for an oil accumulation.

When the gravity survey picks up some likely spots, the geologist moves in to do more detailed seismic surveys. Different rocks transmit sound waves at different speeds and where two types of rock meet, sound waves are reflected. So by sending a

B. Bored-ZEFA





Paul Williams

Seismic Survey

powerful vibration through rock, a picture of the features below can be built up, rather like a sonar or echo sounder at sea sees underwater features.

Finally, if the survey shows that there might be oil-bearing formations below, it is time to drill a test borehole. The familiar derrick with its rotating drill pipe tipped by the drill bit can bore as deep as 7,500 metres. Mud is pumped into the drill pipe hole to pre-

An open-cast diamond mine in South Africa is being converted to deep mining. Although more expensive, underground mines are worthwhile for valuable minerals such as diamonds.



De Beers Consolidated Mines Ltd

vent unwanted fluids flowing into the hole and to carry rock samples and other fragments back to the surface.

If the reservoir is economically viable, a pipe slightly thinner than the borehole is sent down and cement is forced into the gap between the hole and this pipe. This seals the borehole from the oil so the casing has to be blown open by explosives, allowing the oil to enter the pipe. When the oil starts to flow or is pumped to the surface, the well is topped with a

To build up a graphic picture of the subsurface, geologists record the shock waves generated by explosions and analyse their speed with computers.

Mining for salt in the Niger. Rock salt can be found even in land-locked countries, where the mineral was deposited millions of years ago by seas that have now evaporated.

cells, focused by mirrors in a solar furnace and used to heat water or air in solar panels. It also has the power, combined with the dry air, to quickly evaporate water from a mineral-bearing mixture, leaving behind pure crystals. One example of this is the potash mine near Moab, Utah, USA.

Evaporation ponds

Water from the Colorado River is pumped down to the ore deposits over 900 metres below the surface. The ore dissolves in the water and the mix is brought back to the surface and stored in large, shallow evaporation ponds. After 12 months, pure potash crystals are left, for use in fertilizers, glass and soap.

One of most hellish mines on Earth was created by evaporation. In an

Dave Brincombe/Hutchison Library




'Christmas tree' valve to regulate the flow and allow apparatus to be lowered for repairs and assessment.

There are many other ores and minerals including gemstones extracted from desert or arid areas. These include the diamond mines of Namibia in southern Africa and those at Kimberley in

Western Australia, estimated to contain one third of the world's natural diamond supplies; the town of Mount Isa in Australia where copper, lead, zinc and silver are mined; and the iron ore fields and mines at Zouerate in northern Mauritania in the Sahara.

There is plenty of sunshine in the deserts and there is also, usually, plenty of salt. These resources can be exploited separately and together. Sunlight can be converted into electrical current using semiconductor solar

area of north-eastern Ethiopia, called the Danakil Depression, the bed of Lake Assale is all that remains of a cut off and evaporated branch of the Red Sea. In temperatures regularly up to and over 50°C, miners lever huge slabs of salt from the lake bed, which are cut into bricks and taken by camel train to market.



Paul Raymond

Interim Index (1)

This index is in alphabetical order. The six subject areas are keyed as follows: SF – SPACE FRONTIERS, NT – NEW TECHNOLOGY, F – FUTURES, PE – PLANET EARTH, ER – ENERGY AND RESOURCES, LW – LIVING WORLD. Complete articles are marked **bold**. So LW 77–80 is LIVING WORLD pages 77–80. File your index at the back of your binder for easy reference.

A

acid rain ER 9, ER 12
ageing LW 77–80
agriculture LW 24
salt water crops ER 62
air traffic control NT 71–72
aircraft
carriers NT 3
counter attack NT 45–48
design F 33–34
fighting NT 37–38, NT 39–42
spy-craft NT 41
Stealth NT 39, NT 48
airports LW 14, NT 71–74
airships ER 15–18
aliens SF 13–14
alkaloid, plant chemical NT 107
ammonites PE 66
animal,
breeding F 63–64
camouflage LW 32
cloning F 28–29
courting rituals LW 72
diets LW 33–34
hibernation LW 75
homes LW 43–44
kingdoms LW 17–20
language LW 7–8
life expectancy LW 77, LW 78
medical testing on ER 48
power of LW 41–42
prehistoric PE 6, PE 14
racing LW 35–36
slaughter NT 5
answering machines F 12
ants LW 8, LW 17–18
jungle LW 64
aquaculture NT 55
aquarium F 1, F 2
arsenic LW 11
artificial insemination *see*
insemination, artificial
astronaut,
problems in space SF 16
training as LW 5–6
astrostructures SF 19–20
athletes, diet ER 31
Atlantis, Lost City of PE 4
atomic reactors PE 69
atoms, anatomy of ER 21–
22, PE 63–64
autism NT 86
avalanche PE 20–21
aviation technology, F 31–
32 *see also* aircraft

B

babies, test tube NT 34, F 62–63
bacteria F 40, LW 81–82
ballistics NT 25–26
balloons ER 15–18
banknotes, production of ER 51–52
bell, diving F 2
Bermuda Triangle LW 1, PE 4
bicycles ER 37–40
Big Bang, the SF 25–28
biochip F 30
biogas ER 35, ER 36
bioluminescence LW 56
bionic man F 30
biorhythms LW 75
biotechnology NT 109–110
birds,
ability to fly LW 25–28
as disease carriers LW 16
migration LW 75
birth LW 71
black hole SF 10, SF 28
blizzards PE 28
blood, classifying F 21
body building ER 29–32
Bohr, Neils LW 48
bombs,
atomic ER 22
disposal F 17–18

hydrogen ER 22
neutron NT 51
boxing ER 32
brain,
chemical imbalances of NT 83–86
developing LW 45–47
electronic F 49–52
structure ER 45–48
washing NT 87–88
waves ER 46
bridges PE 43–46
buildings,
famous world NT 80
futuristic F 23–26
materials for ER 41–44
bullets,
gun NT 25–26
identification of NT 26
rubber F 16
buses NT 28

C

cable cars NT 29, NT 30
cameras NT 115–116
cannabis PE 7–8
canoeing PE 25
carbohydrates ER 24–25
carbon dating PE 67–68
cards,
credit F 53–56
telephone F 55–56
cargo carriers PE 37–40
cars,
computers in F 51
futuristic F 28, F 45–47
made by robots F 28
cash dispensers F 53–55
cassette players NT 18
cell PE 62
fusion F 40
reproduction LW 65–68
chemotherapy NT 108
Chomsky, Noam LW 48
chromosome PE 62
cities, archaeology F 24–25
cities,
deep seas F 4
dome F 25–26
transport in NT 27–30
clairvoyance PE 49
clocks NT 113–114
atomic NT 114
biological LW 73–76
radioactivity PE 67
clones, F 28, NT 33–36
animal NT 111–112
plant F 40, NT 109–110
cloud, formation and type PE 33–36, ER 63
cobalt ER 2
cocaine PE 7–8
communication,
between animals LW 7–8
electronic mail F 9–10
facsimile F 10, F 14
satellite SF 11–12, F 14
compact discs NT 18–19
computer F 49–52
fraud NT 21–22
hacking NT 21
conception LW 71
conservation ER 9–12
construction machinery NT 81–82
container transport PE 38, PE 39
continental shelf PE 1
copper ER 2
electrolytic PE 53
covalent bonding, atom PE 63–64
crab, fiddler LW 74, LW 75
cranes LW 75
criminals, methods of identifying F 19–22
crossbow NT 43–44
cryobiology NT 35
curare, plant chemical NT 108
cyclone PE 3, PE 27

D

dams PE 41, F 67
beaver LW 44
in tropical rain forests NT 105–106
data storage F 57–58
decompression sickness (bends) F 2
dehydration PE 16
dental identification F 21
deoxyribonucleic acid (DNA) F 22, NT 111–112, PE 11–12, PE 61–62
desalination ER 61–62
desert,
rainfall in ER 64
reclaiming F 40
surviving in PE 18
detectors, X-ray F 8
diet,
animal LW 33–34
athletes ER 31
custom and cultures ER 25
dinosaurs PE 6, PE 14
diseases,
carried by pests LW 16
water-borne LW 81–82
diving F 1–4
DNA *see* deoxyribonucleic acid
dolphins NT 2, LW 7, LW 8, LW 47
drugs PE 7–8
fertility F 62
natural NT 84–86
production of, by DNA technology NT 111
NT 107–108
drying, food preservation NT 58
dune buggie ER 40
dykes PE 42

E

Earth,
creation of PE 11–12, SF 25–28
dating of PE 65–68
formation of PE 5–6
earthquake PE 2
earthworm LW 34
Einstein, Albert SF 27, LW 48, ER 56, F 65
electricity ER 6–8, ER 34
electro convulsive therapy (ECT) NT 85
electro-magnetic fields, in man F 30
electronic,
brain F 49
mail F 9–10
printing NT 16
electrons PE 63–64
elephants LW 17, LW 19, LW 41–42, NT 104
embryo,
flushing F 63–64
implantation in animals F 64
encephalins NT 84
endorphins NT 84
energy sources ER 5–8
alternative ER 8
erosion ER 11
water F 70
evolution PE 13–14, LW 21–24
exercise equipment NT 59–60
extra-sensory perception (ESP) PE 49
eyes LW 53–56
insect LW 54–55
signals LW 71

F

facsimile F 10, F 14
faith healing PE 49
farming,
intensive NT 53–56
in tropical rain forests ER 59–60
fats ER 23–24
fax machine, *see* Facsimile
ferries NT 6, PE 38–40
fingerprinting F 20–22
genetic F 22
fire, hazard in skyscrapers NT 79
fish,
evolution of PE 13–14

farming NT 55
killer LW 29
varieties of LW 3
fleas, water LW 82
flight recorder F 32
flying machines, nature's LW 25–28
fog PE 36
food,
additives ER 28
colouring ER 28
for energy ER 23–26
preservation NT 57–58
production ER 27–28
synthetic F 39–40
footwear, running shoes NT 59
forest,
clearance of ER 10–11
tropical rain ER 9, F 44, LW 59–60, PE 59, LW 64
dams NT 105–106
drugs and medicine produced from plants NT 107–108
exploration of PE 55–58
factories in NT 103–106
farming ER 59–60
greenhouse effect PE 59–60
plant genetic engineering F 59–60
rainfall in ER 64
vegetation LW 61–62
wildlife in LW 63–64
fossils PE 66
fraud NT 21–22
freezing, food NT 58
fuel,
alternatives ER 36
futuristic ER 35–36

G

galaxies PE 5–6
formation of SF 28
whirlpool SF 9
gas ER 5–7
gene,
bank F 59–60
mutation PE 62
genetic,
codes PE 61–62
disease PE 62
engineering, human NT 33–34, F 59–60, NT 111–113
plant NT 110
fingerprinting F 22
geological eras PE 13
glaciers, formation of PE 71
gliders ER 17, PE 21
gold ER 2, PE 54
mining PE 51–52
gramophone records NT 17–18
gold and silver PE 53
Grand Canyon PE 67
gravity, effect on bones LW 5
greenhouse effect ER 11, F 44, PE 59–60
Greenwich Mean Time NT 114
guns NT 25–26
beam NT 10
varieties of NT 26

H

hail,
formation of PE 29–30, ER 64
stones PE 35, ER 65
half-life PE 67–68
hang gliding ER 17, PE 21
hashish PE 8
Hawking, Stephen LW 48
hearing, animal LW 8
heart, effect of exercise on ER 32
helicopter ER 19–20, NT 74
attack NT 47
laser equipped NT 97
heroin PE 8
hibernation LW 75
hijacks LW 13–14
hormones LW 69–71
horse LW 41
breeding LW 35–36
houseflies LW 15, LW 16
houses,
built underground F 24
dome F 25
hovercraft ER 40

human,
ageing process LW 77–80
biological clock LW 75–76
freezing after death LW 79
moods LW 39–40
oldest living LW 78
hurricane PE 3, PE 4, PE 27
Huygens, Christopher ER 55
hydroelectric plants F 67–70
hydrogen power F 70
hydrotherapy PE 74
hypnotism PE 50
hypothermia NT 66

IJK

ice age LW 24
icebergs, formation of PE 71–72
infertility F 61–62
information storage F 57–58
insects,
eyes LW 54–55
flying LW 27–28
insemination, artificial, animal (AI) F 63–64
human NT 33–34, F 61–62
intelligence, child LW 49–50
interrogation techniques NT 87–88
Io, Jupiter's moon SF 4
ions LW 40, NT 83
irradiation NT 58
irrigation,
artificial ER 66
schemes PE 10
Jacuzzi PE 74–75
jellyfish LW 19, LW 56
jetlag LW 76
juggernaut *see* trucks, articulated
jungle *see* forest, tropical
rain
Jupiter, planet SF 3, SF 4
karate ER 32
kidney NT 118
knee joint LW 38

L

language, animal LW 7–8
laser NT 95–98
surgery NT 35
therapy LW 38
weapons NT 9, NT 10, NT 98
life, creation of PE 11–12
lifeboats NT 5–6
lifespan *see* ageing
light,
speed of ER 58, F 65–66
understanding ER 55–58
years PE 6
lightning PE 29–30
locks PE 42
locust LW 27
longbow NT 43–44
lunar cycles LW 73

M

magnesium ER 2
mail, electronic F 9–10
mammals, flying LW 28
man,
ages of PE 13
bionic F 30 *see also* human
manganese ER 1
marijuana PE 8
Mars,
exploration vehicle ER 40
first landing SF 7–8
life on SF 5–8
missions to SF 6
medicines, production of NT 107–108
menstruation LW 71
mental handicaps NT 85–86
mesons F 66
metals, precious ER 2, PE 51–54
mice LW 16
microfilm F 58
microphones NT 12
microwave energy ER 8
microwaves ER 57

migration, bird LW 75
 Milky Way PE 6
 mind over matter PE 49–50
 minerals ER 25
 salts ER 66
 underwater ER 1
 Miranda, Uranus's moon SF 4
 mirrors ER 57–58
 missiles NT 2, NT 38
 anti-aircraft NT 47–48
 ballistic NT 51
 nuclear NT 50
 molecular chains PE 63–64
 money,
 production of ER 49–52
 smart F 53–56
 monkeys, jungle LW 63
 moods, human LW 39–40
 Moon,
 base SF 20
 colony SF 2
 exploration vehicle ER 40
 shot SF 1–2
 motor racing NT 61–64
 mountaineering PE 19–20
 mountains, undersea PE 1, PE 2
 murder LW 9–12
 muscle power ER 30–31

N
 nature, man against PE 19–22
 navigation, satellite F 6, SF 11, NT 42
 Nebula, Orion F 7
 Neptune, planet SF 3, SF 4
 Nereid, Neptune's moon SF 4
 nerve cell *see* neuron
 nervous system ER 45–48
 neurotransmitters NT 83–84
 neuron ER 45, NT 83–84
 neutrons PE 63–64
 Newton, Sir Isaac ER 55
 nickel ore ER 2, PE 53–54
 nitrogen narcosis (narks) F 2–3
 nuclear,
 power stations ER 7
 war F 37–38
 weapons ER 22, NT 49–52

O
 obesity ER 27
 ocean,
 divers F 1–4
 formation of PE 1–2
 life LW 3–4
 pollution of ER 4
 rescue and survival NT 5–6
 resources ER 1–4
 oil ER 53–54
 offshore ER 1, ER 2
 pollution ER 4
 rigs PE 47
 world production ER 36
 optical,
 discs F 58
 illusions LW 57–58
 orchids LW 61–62
 Orion Nebula F 7
 oysters ER 2
 ozone layer ER 10, ER 35, F 43–44

P
 Pangaea PE 1
 parachuting PE 21
 parasites LW 15–16
 pasteurization NT 58
 Pauling, Linus LW 48
 pearls ER 2
 pelicans LW 18–19
 pest, control NT 53–54
 pheromones LW 69
 Phobos, Mars' moon SF 7–8
 photo-finish NT 60
 photocopying machines NT 16
 photofit F 20
 photography NT 115–116
 photovoltaics ER 34
 phytoplankton LW 82
 Piaget, Jean LW 48
 pictures,
 moving NT 99–102
 still 115–116

pigeon LW 16, LW 28, LW 36
 pitcher plant, carnivorous LW 31, 61, 62
 planets, outer SF 3–4
 plankton LW 82
 plant,
 cloning NT 34, F 40
 killer LW 31
 oldest living LW 77
 production of drugs and medicine from NT 107–108
 propagation LW 67, NT 109–110
 protein F 39–41 in tropical rain forests LW 61–62
 plate tectonics PE 1–2
 Plimsoll mark PE 38
 Pluto, planet SF 3, SF 4
 poisons LW 11
 poles, magnetic PE 68
 police, use of computers NT 23–24
 pollution,
 air ER 5
 lead ER 35–36
 oil ER 4
 sea ER 4
 polyploidy NT 110
 polyps LW 19
 polywater PE 72
 population,
 future F 28–29
 world PE 9–10, LW 24
 potholing PE 21
 pottery, dating history by PE 68
 power,
 alternative sources ER 8
 electricity ER 6–8
 gas ER 5–7
 hydrogen F 70
 natural ER 33–34
 sources of ER 5–8
 water F 67–70
 precognition PE 49
 predators LW 29–32
 pregnancy,
 alcohol abuse during NT 86
 viral infections during LW 47
 preservation, food NT 57–58
 printing methods NT 15–16
 propagation, vegetative LW 67
 protein ER 23
 sources F 39–40
 protons PE 63–64
 protozoans LW 82
 psycho-kinesis PE 49
 pulsars, dead stars F 7

Q
 quicksand F 67
 quinine NT 108

R
 racing,
 animal LW 35–36
 motor NT 61–64
 radiation, in space SF 16
 radio,
 broadcasting NT 11–12
 telephones F 13
 telescopes F 8, SF 14, SF 21
 waves ER 57
 radioactivity PE 67
 dating NT 22, PE 67–68
 rain, PE 35
 acid ER 9, ER 12
 tropical ER 64
 rainbows PE 35
 rats LW 15–16
 reefs, coral PE 2, LW 19
 reflex actions ER 46, ER 47–48
 relative dating PE 66
 replacement surgery NT 35, NT 36
 reproduction,
 by artificial means F 61–64
 cell LW 65–68
 human LW 69–71
 reptiles, killer LW 30
 riots,
 control of F 15–16
 effect of hot weather LW 40

river, formation of ER 65
 robots F 27–30
 space SF 19–20
 surgery by NT 86
 underwater F 3
 rock, creation and dating of PE 65–68
 rowing PE 26
 rubber industry NT 105
 Russell, Bertrand LW 48

S
 salt, depletion ER 62
 sandstorms PE 29
 saprophyte plants LW 62
 satellite SF 23, SF 24
 communication SF 11–12
 military SF 17–18
 spy F 5–6, NT 9–10
 weather F 5–6, NT 68, NT 69–70
 Saturn, planet SF 3, SF 4
 schizophrenia NT 86
 scorpions LW 31
 sea PE 3–4
 constructions in PE 47–48
 creatures LW 3–4
 pollution of ER 4
 rescue and survival NT 5–6
 seaweed ER 3, PE 18
 semisubmersible PE 40
 sewage NT 31–32, LW 82
 works NT 118
 sharks LW 1–2
 silver ER 2
 mining PE 52–53
 records, PE 53
 simulators,
 engineering F 33–34
 flight F 34
 skiing PE 20–21
 water PE 25
 skyscrapers NT 77–80
 construction of NT 81–82
 slaughter NT 56
 slot machines NT 93–94
 snakes,
 constrictors LW 30–31
 jungle LW 64
 snow PE 29–30, PE 35
 formation of ER 64
 snowmobiles ER 40
 solar energy, F 24, ER 34
 greenhouse cultivation F 39
 solar system PE 5, PE 6
 soldiers, survival techniques PE 15–18
 sonar detection NT 2, PE 72
 Space PE 5
 junk in SF 12
 living in SF 15–16
 pulsars F 7
 robots SF 19–20
 surviving in LW 5–6
 spacecraft,
 shuttle NT 7–8
 Viking SF 6
 Voyager SF 4
 sperm banks F 28
 spiders, LW 31
 jungle LW 64
 webs LW 44
 spine,
 spinal cord ER 47
 spinal nerves ER 46
 sports,
 exercise equipment NT 59–60
 injuries LW 37–38
 water PE 23–26 *see also*
 under individual sport
 spout, water PE 3, PE 4, PE 30
 springs, hot PE 74
 spy, satellites F 5–6, NT 9–10
 squid LW 56
 star wars NT 9–10, SF 18
 stars,
 black hole SF 10
 exploding SF 9
 formation of SF 23–24, SF 28
 steroid, abuse LW 38
 stock exchange NT 89–92
 storm surge PE 4
 submarines,
 flying NT 3
 nuclear NT 4
 submersibles, F 3–4
 supermarkets F 41–42

surfing PE 23–24
 surgery,
 by robot NT 86
 implanting biochips F 30
 laser NT 35
 transplant NT 35, 36
 survival techniques PE 15–18
 swimming PE 23, 73, PE 75
 synapse NT 85
 syntax F 51–52
 synthesizers F 52

T
 tank, armaments NT 45–47
 tankers, oil PE 38, PE 40
 tape recorders NT 18
 telepathy PE 49
 telephones F 11–14
 telescopes F 7–8, SF 22
 radio F 8, SF 14, SF 21
 teletext NT 14
 television,
 satellite NT 11–12, NT 13–14
 transmission NT 12–14
 telex machines F 10
 termite towers LW 44
 thermoluminescence PE 68
 thunder PE 29–30
 timber, from tropical rain forests NT 103–106
 time,
 beginning of SF 25–28
 measurement of NT 113–114
 standard NT 114
 travel through F 65–66
 Titan, Saturn satellite SF 4
 Titanic, exploring F 3
 tornadoes PE 28–29
 trains,
 futuristic F 47–48
 maglav NT 30
 overhead track NT 28
 underground systems NT 28–30
 trams NT 28
 transpiration ER 64
 transplant surgery NT 35, NT 36
 transport, in cities NT 27–30
 travel, futuristic NT 29, F 45–48
 tree, dating PE 68
 tremor, earth PE 2
 tribal rites PE 58
 Triton, Neptune's moon SF 4
 trolleybuses NT 28
 tropical rain forest, *see* forest
 truck, articulated NT 75–76
 tsunamis PE 3, PE 4
 tunnels PE 43–44
 turbines, reaction and impulse F 67–70
 Turing, Alan LW 48
 typhoon PE 3, PE 27

UV
 ultra-sound LW 38
 universe
 creation of SF 25–28
 end of SF 28
 uranium ER 2
 Uranus, planet SF 3, 4
 vehicles,
 armoured F 16
 rough terrain ER 40
 video,
 cameras NT 19–20
 discs NT 19
 interactive NT 20
 recorders NT 19–20
 videofit F 20–21
 videophone F 14

viewdata F 10
 viper fish LW 56
 vision LW 53–56 *see also*
 eyes
 vitamins ER 24, ER 25
 volcano,
 eruption of PE 1
 islands PE 2
 on Mars SF 7

W
 war, nuclear F 37–38
 warfare,
 aerial NT 37–38
 air counter attack NT 45–48
 biological F 36
 chemical F 35–36
 economic F 36
 naval NT 1–4
 nerve gases F 36
 wars, star NT 9–10, SF 18
 warships NT 4
 water PE 25
 barriers PE 41–42
 composition of PE 69
 contraction and expansion of PE 69–70
 cycle of ER 63–66
 desalination ER 61–62
 diviner/dowser PE 50
 domestic consumption NT 31
 erosion F 70
 groundwater ER 65
 microscopic life in LW 81–82
 pollution NT 117
 power F 67–70
 purification NT 32
 sound under PE 72
 sports PE 23–26
 spout PE 3, PE 4
 table ER 65
 works NT 117–118
 waves PE 3
 weapons,
 at sea NT 1–4
 guns, beam NT 10, SF 18
 laser NT 9, NT 10
 nuclear 22, NT 49–52
 weather,
 Beaufort scale PE 29
 buoys NT 70
 coping with cold NT 65–66
 effect on moods LW 39–40
 elements of PE 33–36
 forecasting, effect on airlines F 34, NT 67–70
 fronts PE 33–36
 hazards PE 27–30
 manipulating F 43–44
 satellites F 5–6, NT 68, NT 69–70
 understanding PE 31–32
 weightlessness, in space LW 5
 whales LW 8
 wildlife, in tropical rain forests LW 63–64
 willy-willies PE 27
 wind PE 3
 effect on skyscrapers NT 78
 farms ER 33, ER 34
 power ER 34
 skating ER 17
 surfing PE 24–25
 worms LW 66–67, LW 74
 palolo ER 2

XYZ
 X-ray detectors F 8
 zebras LW 17
 zinc ore PE 53
 zooplankton LW 82